SBR NO: 23/20-21

28/07/2020

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494135

Serial No. : 1st & final Bill

Name of Work : Improvements and Asphalting to Roads at Uthanarappa layout Cross Roads and connecting areas in ward no-09 (Vidyaranyapura)

Name of Contractor of nature of Agency : -

Date of commencement of work : Date of Receiving: 27/07/2020

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Estimate cost Rs - 95.00 lakhs						
	work code no - 009-20-0000 52						
	work order no - EE/BTP/BBMP/E-pmt/01/WD/18/2020-21 Dt: 16/06/2020						
	Name of the Agency: Sri. A.S. Mani (M/s. S.S Road Developers)						
1)	Earthwork excavation by manual means in ordinary soil involving an average horizontal throw up to 2 meters and an average lift up to 0.5m, excavated surface levelled & dress						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	nearly excavated, the disposed earth to be levelled						
	494126						
	Quantity vide this M.B. P.No = 250.56 cum						
	@ 237.69/cum					=	59552
item-2)	Removing and refining stone slabs of drains and						
	Pointing in cm (1:3)						
	494128						
	Quantity vide this M.B. P.No = 1388.945 cum						
	@ Rs 105.74/1Scum					=	140522

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494136

No. .....
e of Work ..... From..... To.....
e of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
5) providing granite slabs of selected quality roughly chiseled horizontal basize of 7.5cms thick and fixed in cement mortar (1:6) including fixing curing etc--						
uthanallappa layout 1st	1	5.00		1.35	= 6.75	
cross ells	1	8.00		1.35	= 10.80	
1st cross ells	1	6.00		1.35	= 8.10	
	1	10.00		1.35	= 13.50	
8th cross ells	1	8.00		1.35	= 10.80	
	1	9.00		1.35	= 12.15	

62.10

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS W/S	1	6.00		1.35	= 8.10	
		1	9.00		1.35	= 12.15	
	3rd CROSS E/S	1	7.00		1.35	= 9.45	
	3rd CROSS W/S	1	13.00		1.35	= 17.55	
		1	10.00		1.35	= 13.50	
	4th CROSS E/S	1	15.00		1.35	= 20.25	
	4th CROSS W/S	1	10.00		1.35	= 13.50	
		1	5.00		1.35	= 6.75	
		1	8.00		1.35	= 10.80	
			TOTAL QTTY			= 114.15	
	Limited to Tender Qtty					= 173.34	= 122187.00

@ 704.90/Sqm

CAT

112-05

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494137

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
4)	providing and laying plain cement concrete of mix 1:3:6 with OPC cement @ 320 kgs. with crushed hard and down size granual granite metal coarse aggregates @ 0.8 cum fine aggregates.						
	Quantity vide E MB P.No = 1.89 cum						
	@ 5150-00/cum = 9735-00						
5)	providing and constructing granite/trap/basalt size stone masonary of bayement with mortar 1:6 edges of stone chisele dressed in course not less than 15 cms.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	high, bond stones at 1.00 m apart in each						
		2	7.00	0.60	0.90	= 7.56 cum	
			@ 5581.35/cum			= 41742.00	
item 6)	providing ruled pointing 20 mm deep to coursed stone masonry with cement mortar 1:3. 20 mm deep, after raking joints to depth of 20 mm nicely lining including cost of materials. etc. —						
		2	7.00		0.90	= 12.60 sqm	
			@ 142.99/sqm			= 1802.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494138

erial No. .....

ame of Work ..... From..... To.....

ame of Contractor of nature of Agency .....

ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	a) providing precast slabs of 150 mm thick including cost of all materials, labour, curing, transporting, loading unloading etc.. complete as per the direction of engineer.						
		12	1.50	0.60		= 10.80 sqm	
			@ 5147.00/sqm			= 55589.00	
	b) providing and constructing load bearing wall with solid concrete blocks of size 400 × 150 × 200 mm having block density not less than 1600 kg/m³ and having a minimum crush

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	compressive strength etc-						
	uthanamappa layout 1st cross c/s	2x2	30.00		0.40 =	48.00	
		2x2	7.50		0.40 =	12.00	
	1st cross w/s	2	30.00		0.40 =	24.00	
	2nd cross c/s	2	16.50		0.40 =	13.20	
		2	12.00		0.40 =	9.60	
	2nd cross c/s	2	10.00		0.40 =	8.00	
		2	12.00		0.40 =	9.60	
		2	12.00		0.40 =	9.60	
	2nd cross w/s	2	10.00		0.40 =	8.00	
		2	12.00		0.40 =	9.60	
		2	12.00		0.40 =	9.60	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494139

rial No. .....

me of Work ..... From..... To.....

me of Contractor of nature of Agency .....

te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
		2	10.00		0.40 =	8.00	
	3rd cross c/s	2	12.00		0.40 =	9.60	
		2	10.00		0.40 =	8.00	
		2	12.00		0.40 =	9.60	
	3rd cross w/s	2	9.00		0.40 =	7.20	
		2	10.00		0.40 =	8.00	
		2	10.00		0.40 =	8.00	
		2	12.00		0.40 =	9.60	

68.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th CROSS EIS	2	9.50		0.40	= 7.60	
		2	18.00		0.40	= 9.60	
		2	18.00		0.40	= 9.60	26.88
			total quantity			= 256.88	
			limited to Tender qty			= 256.00	
			@ 930.47/ sam			=	238200.00
item 9D	providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 240 bgs with 20mm and down size graded granite metal coarse aggregates @ 0.84 cum and fine aggregates @ 0.45 cum, machine mixed etc..						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494140

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Bed concrete						
	Ulhasnagar 1 layout ST	2	30.00	0.45	0.10	= 2.70	
	CROSS EIS	2	7.50	0.45	0.10	= 0.68	
	1ST CROSS NIS	1	30.00	0.45	0.10	= 1.55	
		1	16.60	0.45	0.10	= 0.75	
		1	12.00	0.45	0.10	= 0.54	
	2nd CROSS EIS	1	10.00	0.45	0.10	= 0.45	
		1	12.50	0.45	0.10	= 0.54	
		1	12.00	0.45	0.10	= 0.54	
							7.55

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS WLS	1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	
		1	12.00	0.45	0.10 =	0.54	
	3rd CROSS GLS	1	10.00	0.45	0.10 =	0.45	
		1	10.00	0.45	0.10 =	0.45	
		1	10.00	0.45	0.10 =	0.45	
	3rd CROSS WLS	1	12.00	0.45	0.10 =	0.54	
		1	9.00	0.45	0.10 =	0.41	
		1	10.00	0.45	0.10 =	0.45	
		1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	

5.27

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494141

erial No. .....

ame of Work ..... From..... To.....

ame of Contractor of nature of Agency .....

ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	4th CROSS GLS	1	9.50	0.45	0.10 =	0.43	
		1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	
	coping concrete						
	Uthamapalayam layout 1st	2+2	30.00	0.30	0.10 =	2.40	
	CROSS GLS	2+2	7.50	0.30	0.10 =	0.60	
	1st CROSS WLS	2	30.00	0.30	0.10 =	1.80	
		2	16.60	0.30	0.10 =	0.66	
		2	12.00	0.30	0.10 =	0.48	

6.76

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS EIS	2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
		2	12.00	0.80	0.10 =	0.48	
	3rd CROSS WIS	2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
		2	12.00	0.80	0.10 =	0.48	
		2	10.00	0.80	0.10 =	0.40	
	3rd CROSS EIS	2	10.00	0.80	0.10 =	0.40	
		2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494142

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	5th CROSS WIS	2	9.00	0.80	0.10 =	0.36	
		2	10.00	0.80	0.10 =	0.40	
		2	10.00	0.80 =	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
	4th CROSS EIS	2	9.50	0.80	0.10 =	0.38	
		2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
	Culvert coupling	1	7.00	0.80	0.10 =	1.05	
	Ramp	2	7.00	1.00	0.15 =	2.10	
			TO tal Q ntity		=	30.00 cum	

CAT-5
MEMO
Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97
6.05

MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494143

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Limited to tender Qnty : 89.45 sum						
	@ 5319.95 =						156673.57
Item 10)	Providing granite slabs of selected quality roughly dressed having a size of 10cms thick and fixed in cement mortar (1:6) including fixing curing etc---						
	B.S slab missing covering						
	Ithanallappa layout grd floor GIS	1	30.00	0.90	=	27.00	
		1	8.00	0.90	=	7.20	
		1	7.00	0.90	=	6.30	
		Total Qnty			=	40.50 Sqm	
		@ 918.28 / Sqm			=	37194.84	
1)	providing chamfering edges to stone slab 8.5cms wide as per specifications						
		Total Qnty : 0.00 mm					
		@ 55.41/mtrs =				0.00/-	
2)	Scarifying bituminous course 50mm to 75mm thick along with premix carpet/ surface dressing by manual means without disturbing the base and stacking of the debris materials including cost of all materials						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Quantity vide this MB P.No = 439.50 sqm 494130 @ 90.63 sqm = 39832.00						
13)	wet mix macadam providing, laying, spreading and compacting crushed stone aggregates of granite/trap/ basalt to wet mix macadam specifications etc---						
	Quantity vide this MB P.No = 109.88 cum @ 1901.22 = 208906.00						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494144

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	by providing and applying primer coat using bitumen emulsion on prepared surface of granular base such as wmm including cleaning of road surface and spraying primer at the rate of 0.60 kg/sqm etc--- 494133 Quantity vide this MB P.No = 439.50 sqm @ 27.19 sqm = 11950.00						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 15)	providing and laying bituminous macadam on prepared surface with crushed coarse aggregates as per design mix formula for base/ binding course including leveling of aggregates etc---						
	Uthanapalayam layout 1st cross GLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	7.50	$\frac{(1.1+1.3)}{2}$	0.050	= 0.15	
	1st cross WLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	16.60	$\frac{(1.1+1.3)}{2}$	0.050	= 1.05	
	2nd cross GLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	

6.72

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494145

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
		1	22.00	$\frac{(1.1+1.3)}{2}$	0.050	= 1.32	
	2nd cross WLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	16.40	$\frac{(1.1+1.0)}{2}$	0.050	= 0.86	
	3rd cross GLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	25.40	$\frac{(1.1+1.2)}{2}$	0.050	= 1.46	
	3rd cross WLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	14.40	$\frac{(1.1+1.0)}{2}$	0.050	= 0.77	

9.60

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th CROSS C/S	1	50.00	$\frac{(1.2+1.2)}{2}$	0.050 = 1.80		
		1	24.90	$\frac{(1.2+1.2)}{2}$	0.050 = 1.54		
	4th CROSS C/S	1	30.00	$\frac{(1.2+1.2)}{2}$	0.050 = 1.73		
		1	12.30	$\frac{(1.1+1.2)}{2}$	0.050 = 0.71		
			TOTAL QUTTY		= 22.078 cum		
			Allowed to Tender QUTTY = 21.98 cum.				
			@ 5095.00/ cum		= 111997.00		

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494146

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	1) Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and low compressed air to remove bituminous fine matt including cost of all materials, etc —						
						494136/1	
	Quantity vide this MB P.No = 1758.00 sqmm						
	@ 5.04/ sqmm					= 8860.00	
	2) Providing and applying tack coat using 80/100 grade bitumen						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(vG10) on the prepared black topped surface at 0.5kg per 10 sqm. heating bitumen in boiler fitted with spray set (excluding clearing of road etc)--						
	Quantity vide item No. 16 = 1758.00 sqm						
	@ 12.08 =					21237.00	
item 18	providing and laying bituminous concrete 40mm thick with hot mix plant, using crushed aggregates of specified grading, premixed with bituminous binder and filler transporting the hot mix etc--						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494147

Serial No. ..... From ..... To .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Uthamarappa layout						
	1st cross E/S	1	30.00	(4.8+4.8)/2	0.040	= 5.70	
		1	7.50	(4.8+4.8)/2	0.040	= 1.43	
	1st cross W/S	1	30.00	(5.3+6.0)/2	0.040	= 6.78	
		1	16.60	(6.0+6.2)/2	0.040	= 4.05	
	2nd cross E/S	1	30.00	(5.4+5.2)/2	0.040	= 6.48	
		1	22.00	(5.0+4.8)/2	0.040	= 4.36	
						28.80	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS WIS	1	30.00	(5.0+4.6)/2	0.040	= 5.76	
		1	16.40	(4.6+4.2)/2	0.040	= 3.12	
	3rd CROSS GIS	1	30.00	(4.8+4.6)/2	0.040	= 5.64	
		1	25.40	(4.2+4.1)/2	0.040	= 4.42	
	3rd CROSS WIS	1	30.00	(5.0+4.6)/2	0.040	= 5.76	
		1	14.70	(4.6+4.4)/2	0.040	= 2.65	
	4th CROSS GIS	1	30.00	(5+3.3)/2	0.040	= 4.98	
						32.33	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494148

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	4th CROSS WIS	1	24.70	(3.3+3.5)/2	0.040	= 3.96	
		1	30.00	(3.3+4.0)/2	0.040	= 4.38	
		1	12.30	(4.0+3.5)/2	0.040	= 1.92	
				Total Qty =		70.67	
				Limited to tender Qty =		70.50	CUM
				@ 7211.13/CUM =		508087.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 19)	Road marking with Hot Applied Thermoplastic compound with Reflectibing Glass Beads on Bituminous surface providing and laying of hot applied thermoplastic compound 2.5mm thick etc — Uthamapalayam to						
	CROSS ELS	2	30.00	0.10	= 6.00		
		2	7.50	0.10	= 1.50		
	6th CROSS ROAD	2	30.00	0.10	= 6.00		
	5th CROSS ELS	2	16.60	0.10	= 3.32		
		2	30.00	0.10	= 6.00		
		2	22.00	0.10	= 4.40		
						26.72	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494149

rial No. .....

me of Work ..... From..... To.....

me of Contractor of nature of Agency .....

te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	2nd CROSS ROAD	2	30.00	0.10		= 6.00	
		2	16.40	0.10		= 3.28	
	3rd CROSS ELS	2	30.00	0.10		= 6.00	
		2	25.40	0.10		= 5.08	
	4th CROSS ROAD	2	30.00	0.10		= 6.00	
		2	14.70	0.10		2.94	
	5th CROSS ELS	2	30.00	0.10		6.00	
		2	24.70	0.10		4.94	
						40.24	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th CROSS M/S	2	30.00	0.10		= 6.00	
			12.30	0.10		= 2.46	8.46
			TOTAL QTTY		:	75.92 Sqm	
			Limited to tender QTTY: 74.80 Sqm				
			@ 432.00/Sqm			= 32314.00	
E1	providing precast slabs of 100 mm thick including cost of all materials, labour, cutting, transportation, lowering unloading etc. complete as per the directions of B.S. Slabs missing covering						

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494150

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Uthamanappa layout	1	92.00	0.90		= 19.80	
	1st CROSS E/S						
	1st CROSS M/S	1	30.00	0.90		= 27.00	
		1	4.00	0.90		= 3.60	
	2nd CROSS E/S	1	30.00	0.90		= 27.00	
		1	25.00	0.90		= 22.50	
	2nd CROSS M/S	1	31.00	0.90		28.40	
	3rd CROSS E/S	1	5.00	0.90		= 4.50	
						129.80	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	3rd CROSS ROAD	1	16.00	0.90		= 14.40	
			TOTAL QTY =			142.20 Sqm	
			@ 2220.38/Sqm			= 315736.00	
			TOTAL AMOUNT RS =			2,19,617.00	
			GST @ 18% RS =			25,4,354.00	
			Grand total Amount RS =			23,73,971.00	
	Certificate:						
	1) The above work has been completed satisfactorily						27/07/2020
	2) No materials issued from department						27/07/2020

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore-97

Assistant Executive Engineer

(Contractor)

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494151

erial No. .....

ame of Work ..... From..... To.....

ame of Contractor of nature of Agency .....

ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



27/07/2020

Assistant Executive Engineer
Vidyaranyapura Sub Division

1st & final

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	M
		Number	Length	Breadth	Depth		
1	SBE No. 23/28.7.20 2	3	4	5	6	7	
	ಲೆಕ್ಕಶೀರ್ಷಿಕೆ P3276 - Zonal Public Works Pool ರಡಿ		1st & final	2373900			
	ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 2373900/- ಗಳನ್ನು ಪಾಸು ಮಾಡಿದೆ.		IT	23739			
	ಇದರಲ್ಲಿ ರೂ. 94300/- ಗಳನ್ನು ಹೊಂದಾಣಿಕೆ		Cess	21196			
	ಮಾಡಿಕೊಂಡು ರೂ. 2279600/- ಗಳನ್ನು		Scst	21196			
			CESS/LWF	23739			
	IT/NEFT/RTGS ಮುಖಾಂತರ ನೀಡಲಾಗಿದೆ		CBE.	2374			
			LR	2056			
			Ded.	94300			
			Chque	2279600			
	ವಿಷಯ ನಿರ್ವಾಹಕರು 29/7/20	ಲೆಕ್ಕಾಧೀಕ್ಷಕರು ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ ಬೃ.ಬೆ.ಮ.ಪಾ. ಬೆಂಗಳೂರು	ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ ಬೃ.ಬೆ.ಮ.ಪಾ. ಬೆಂಗಳೂರು				